

Statement of Delivery Rate Adjustment

<u>Service Classifications</u>	<u>SIR</u>	<u>RDM</u>	<u>GSR</u>	<u>NFRR</u>	<u>EGR</u>	<u>NYFS</u>	<u>NCRR</u>	<u>EAM</u>	<u>DCSM</u>	<u>DROM</u>	<u>NUP</u>	<u>RAC</u>	<u>Total</u>
	<u>\$/therm</u>	<u>\$/therm</u>	<u>\$/therm</u>	<u>\$/therm</u>	<u>\$/therm</u>	<u>\$/therm</u>	<u>\$/therm</u>	<u>\$/therm</u>	<u>\$/therm</u>	<u>\$/therm</u>	<u>\$/therm</u>	<u>\$/therm</u>	<u>\$/therm</u>
Residential Non-Heat (SC 1A, 1AR, 17-1A, 17-1AR)	\$ -	\$ (0.0094)	\$ 0.0009	\$ (0.0013)	\$ 0.0011	\$ 0.0011	\$ -	\$ 0.0022	\$ 0.0015	\$ -	\$ -	\$ 0.0063	\$ 0.0024
Residential Heat (SC 1B, 1BR, 17-1B, 17-1BR)	\$ -	\$ (0.0094)	\$ 0.0009	\$ (0.0013)	\$ 0.0011	\$ 0.0016	\$ -	\$ 0.0028	\$ 0.0020	\$ -	\$ -	\$ 0.0018	\$ (0.0005)
Residential DG (SC 1BDG)	\$ -	N/A	\$ 0.0009	\$ (0.0013)	\$ 0.0011	N/A	\$ -	\$ 0.0031	\$ 0.0020	\$ -	\$ -	\$ 0.0006	\$ 0.0064
Commercial Non-Heat (SC 2-1, 17-2-1)	\$ -	\$ (0.0174)	\$ 0.0009	\$ (0.0013)	\$ 0.0011	\$ 0.0012	\$ -	\$ 0.0023	\$ 0.0017	\$ -	\$ -	\$ 0.0009	\$ (0.0106)
Commercial Heat (SC 2-2, 17-2-2)	\$ -	\$ (0.0174)	\$ 0.0009	\$ (0.0013)	\$ 0.0011	\$ 0.0023	\$ -	\$ 0.0040	\$ 0.0028	\$ -	\$ -	\$ 0.0012	\$ (0.0064)
Multi-Family (SC 3, 17-3)	\$ -	\$ (0.0004)	\$ 0.0009	\$ (0.0013)	\$ 0.0011	\$ 0.0014	\$ -	\$ 0.0025	\$ 0.0018	\$ -	\$ -	\$ 0.0008	\$ 0.0068
High Load Factor (SC 4A, 17-4A)	\$ -	N/A	\$ 0.0009	\$ (0.0013)	\$ 0.0011	\$ 0.0006	\$ -	\$ 0.0013	\$ 0.0009	\$ -	\$ -	\$ 0.0005	\$ 0.0040
Compressed Natural Gas Service (SC 4A-CNG, 17-4A-CNG)	\$ -	N/A	\$ 0.0009	\$ (0.0013)	\$ 0.0011	\$ 0.0006	\$ -	\$ 0.0012	\$ 0.0009	\$ -	\$ -	\$ 0.0004	\$ 0.0038
Compressed Natural Gas Service Interruptible (SC 4A-CNG, 17-4A-CNG)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	\$ 0.0012	\$ 0.0009	N/A	\$ -	\$ 0.0004	\$ 0.0025
Year Round Air Conditioning (SC 4B, SC 17-4B)	\$ -	N/A	\$ 0.0009	\$ (0.0013)	\$ 0.0011	\$ 0.0014	\$ -	\$ 0.0026	\$ 0.0019	\$ -	\$ -	\$ 0.0011	\$ 0.0077
Seasonal Off-Peak (SC 7, SC 17-7)	\$ -	N/A	\$ 0.0009	\$ (0.0013)	\$ 0.0011	N/A	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 0.0001	\$ 0.0008
Baseload DG (SC 21, 17-21)	\$ -	N/A	\$ 0.0009	\$ (0.0013)	\$ 0.0011	N/A	\$ -	\$ 0.0006	\$ 0.0005	\$ -	\$ -	\$ 0.0003	\$ 0.0021
Non-Firm Demand Response Service SC 22, SC 18-22 (Tier 1)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	\$ -	\$ -	N/A	\$ -	\$ 0.0005	\$ 0.0005
Non-Firm Demand Response Service SC 22, SC 18-22 (Tier 2)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	\$ -	\$ -	N/A	\$ -	\$ 0.0005	\$ 0.0005

SC 1B, 1BI, 1BR, 1B-DG, 2-2, 3, 4B, 17-1B, 17-1BI, 17-1BR, 17-2-2, 17-3 and 17-4B are subject to a Weather Normalization Adjustment Factor, as explained on Leaf Nos. 80 through 83

Note:

SIR	Site Investigation and Remediation Surcharge
RDM	Revenue Decoupling Mechanism
GSR	Gas Safety and Reliability Surcharge
NFRR	Non-Firm Demand Response Revenue Reconciliation Surcharge / Credit
EGR	Electric Generator Revenue Reconciliation
NYFS	New York Facilities System Surcharge
EAM	Earning Adjustment Mechanism
NCRR	Newtown Creek Revenue Reconciliation
DCSM	Demand Capacity Surcharge Mechanism
DROM	Non Labor Demand Response O&M Cost
NUP	Net Utility Plant and Depreciation Expense Reconciliation Mechanism
RAC	Rate Adjustment Clause